


## Activating the Adobe Reader Plug-in for Safari 7.0 on Mavericks MAC OS 10.9

There are two ways to enable the Adobe Reader plug-in when requested by a website within Safari:


1. Trust the plug-in on a site-by-site basis. When a site you visit requires the plug-in to view a PDF document, it will ask to “Trust” the plug-in and then save the setting for that specific site in the preferences section.
2. Trust the plug-in globally. This will enable the plug-in for all sites

### **Method 1 – Trust the plug-in on a site-by-site basis:**


1. When you open a form for the first time, you will see a dark-gray screen with the following message: “*Adobe Reader blocked for this website*”. Click on the arrow icon at the end of this message.



2. Safari will present you with a message that asks if you want to trust the website to use the Adobe Reader plug-in. Click 'Trust'.




3. Form Simplicity will then be added to the trusted sites for this plug-in and the form will load.




## Method 2 – Trust the plug-in globally (for all websites):

1. Open Safari and click on the Safari menu located at the top-left corner.
2. Choose 'Preferences'.



3. When the Preferences window opens, click on the 'Security' icon at the top.



4. Click on the 'Manage Website Settings...' button.



5. Select 'Adobe Reader' from the list of plug-ins on the left.
6. Select 'Always Allow' from the 'When visiting other websites:' option on the bottom-right.
7. Click 'Done'.

